

COATS & CLARK'S

BOOK No. 140

29¢

SWEATERS and ACCESSORIES

Featuring
RED HEART
Yarns



Timesaver  Designs to Knit

B-350

Simple Shrug

Quick-to-knit in one straight piece, with no increases or decreases—just four short seams to sew! A perfect little cover-up for cool evenings. Illustrated in color on front cover.



Directions will fit Sizes 10 to 18.

COATS & CLARK'S "RED HEART" KNITTING
WORSTED, 4 Ply ("Tangle-Proof" Pull-
Out Skeins): 10 ounces of No. 818
Blue Jewel.

Knitting needles, 1 pair No. 10.

GAUGE: 4 sts = 1 inch;
5 rows = 1 inch.

Starting at center back, cast on 48 sts.
1st row (right side): P 3, * k 1, O, p 3.
Repeat from * across to within last 5 sts,
k 5 loosely. **2nd row:** K 5 loosely, * k 3,
drop the O, with yarn in front of work
slip the next st as if to purl. Repeat
from * across to within last 3 sts, k 3.
Repeat last 2 rows for pattern. Work in
pattern until total length is 7½ inches
ending with 2nd row. At end of last row
cast on 17 sts for Sleeve.

SLEEVE . . . 1st row: K 5 loosely, p 3, * k 1,
O, p 3. Repeat from * across to within
last 5 sts, k 5 loosely. **2nd row:** K 5
loosely, * k 3, drop the O, with yarn in
front slip next st. Repeat from * across
to within last 8 sts, k 8. Repeat last
2 rows until length is 13½ inches from
cast-on sts of sleeve ending at sleeve
edge. Bind off 17 sts of sleeve, complete
row. Work even as before over remain-
ing 48 sts until length is 15 inches from
bound-off sts of sleeve ending at sleeve
edge. Cast on 17 sts for other sleeve and
work same as for first sleeve. Work even
as before, over remaining 48 sts until
length is 7½ inches from bound-off sts
of 2nd sleeve. Bind off loosely.

Continued on page 5

B-351

Cable Shrug

Knitted in only one piece and
sewed to form a smart bolero.
Illustrated on front cover.


Directions will fit Sizes 10 to 18

COATS & CLARK'S "RED HEART" KNITTING
WORSTED, 4 Ply ("Tangle-Proof" Pull-
Out Skeins): 11 ounces of No. 1 White.

Knitting needles, 1 pair No. 10.

GAUGE (blocked): 14 sts (1 pattern) = 3
inches; 5 rows = 1 inch.


Starting at center back, cast on 53 sts.
1st row (right side): P 3, * k 4, p 3. Repeat
from * across to within last 8 sts, k 8.
2nd row: K 11, * O, p 4, O, k 3, p 4, k 3.
Repeat from * across. **3rd row:** P 3, * k 4,
p 3, drop next O, slip next st on a tooth-
pick and hold in front of work, slip next
2 sts on another toothpick and hold in
back of work, k next st, drop next O,
k the 2 sts from back toothpick, k the st
from front toothpick—cable twist made;
p 3. Repeat from * to within last 8 sts,
k 8. **4th row:** K 11, * p 4, k 3. Repeat
from * across. **5th row:** Repeat first row.
6th row: K 11, * p 4, k 3, O, p 4, O, k 3.
Repeat from * across. **7th row:** P 3,
* make a cable twist same as on 3rd row,
p 3, k 4, p 3. Repeat from * across to
within last 8 sts, k 8. **8th row:** Repeat
4th row. Repeat last 8 rows for pattern.



Work in pattern until length is about
7½ inches, ending with either the 4th
or the 8th row. At end of last row cast
on 19 sts for Sleeve.

SLEEVE . . . 1st row: K 5 loosely, complete
row in pattern (5th or first row, as the
case may be). Keeping 5 sts at sleeve
edge and 8 sts at opposite edge in garter
st (k each row), continue in pattern until
length is about 13½ inches from cast-on
sts of sleeve, ending with either 4th or
8th row. **Next row:** Starting at sleeve edge
bind off 19 sts loosely—this completes
sleeve, complete row in pattern. Work
even over these 53 sts until length is
about 15 inches from bound-off sts of
sleeve, ending with either the 4th or 8th
row. At end of last row cast on 19 sts for
other sleeve and work same as first
sleeve. Work even over these 53 sts until
length is about 7½ inches from bound-
off sts of 2nd sleeve, ending with 8th row.
Bind off.

FINISHING . . . Sew 53 cast-on sts to 53
bound-off sts matching patterns. Com-
plete Finishing of Shrug the same as for
Shrug No. B-350 on page 5.



B-352

Quickie Stole

Worked on big, big needles in an easy stitch—you'll find you've finished almost as soon as you've begun! Illustrated on front cover.

25 x 68 inches (excluding fringe)

COATS & CLARK'S "RED HEART" KNITTING WORSTED, 4 Ply ("Tangle-Proof" Pull-Out Skeins): 16 ounces of No. 793 Coral.

Knitting needles, 1 pair No. 15.

GAUGE: 6 sts = 1¾ inches;
4 rows = 1 inch.

Starting at narrow edge, cast on 81 sts.

1st row (wrong side): K 3, p across to within last 3 sts, k 3. **2nd row:** K 3, * with yarn in back of work sl 3, p 3. Repeat from * across to within last 6 sts, sl 3, k 3. **3rd row:** K 3, * with yarn in front of work sl 3, k 3. Repeat from * across. **4th row:** K 3, * O, with yarn in back of work sl 1, k 2 tog, p.s.s.o., O, p 3. Repeat from * across to within last 6 sts, O, sl 1, k 2 tog, p.s.s.o., O, k 3 (81 sts, counting each O as one st). **5th row:** Repeat first row. **6th row:** K 3, * p 3, with yarn in back of work sl 3. Repeat from * across to within last 6 sts, p 3, k 3. **7th row:** K 6, * with yarn in front of work sl 3, k 3.

Repeat from * across to within last 3 sts, k 3. **8th row:** K 3, * p 3, O, sl 1, k 2 tog, p.s.s.o., O. Repeat from * across to within last 6 sts, p 3, k 3. Repeat first through 8th row for pattern. Work even in pattern until total length is about 68 inches ending with 5th pattern row. Bind off loosely. Block to measurements.

KNOTTED FRINGE . . . Cut 6 strands of yarn each 18 inches long. Double these strands to form a loop, **page 6**. With right side facing, insert hook (Fig. 1) in one corner at narrow edge and draw loop through (Fig. 2). Draw loose ends through loop (Fig. 3) and pull up tightly to form a knot (Fig. 4). Make 28 fringes evenly spaced across each narrow edge. Pick up half the strands of the first fringe and half the strands of the second fringe and make a knot (Fig. 5) 1 inch down and in the center between 2 previous knots. Pick up remaining strands of second fringe and first half of the strands of next fringe and knot as before. Continue in this manner across. Trim ends evenly.

B-353

Hug-Me-Tight

Just right to slip
over your shoulders
to ward off drafts.



Directions are given for Small Size.

Changes for Medium and Large Sizes are in parentheses.

**COATS & CLARK'S "RED HEART" KNITTING
WORSTED, 4 Ply ("Tangle-Proof" Pull-
Out Skeins):** 7 (8, 10) ounces of No.
737 Pink.

Knitting needles, 1 pair No. 10, 14-inch
length.

GAUGE (after blocking): 4 sts = 1 inch;
6 rows = 1 inch.

BACK . . . Starting at lower edge, cast on
57 (61, 65) sts. Work in pattern as fol-
lows: **1st row:** K 1, * p 1, k 3. Repeat
from * across. Repeat this row for pat-
tern. Mark the first row for wrong side.
Work even in pattern for 13 (13½, 14)
inches.

FRONTS . . . Cast on 48 (52, 56) sts at end
of next 2 rows. Continue in pattern on
153 (165, 177) sts until length from
cast-on sts is 6½ (7, 7½) inches. Bind
off in pattern.

Block lightly. Measure 6½ (7, 7½)
inches up from lower edge of back and

place a marker at each side edge. Sew
wrong side of short edge of each front to
corresponding wrong side edge of back
from lower edge to marker.

B-350 Continued from page 2

Finishing: Sew 48 cast-on sts to 48 bound-
off sts matching patterns—*this is lower
center back seam*. Lay out doubled piece
having seam in center of 15-inch area
between sleeves—sleeves are now folded
in half. Matching patterns, sew cast-on
sts to bound-off sts of each sleeve. Al-
lowing for stretch between shoulders,
sew both 15-inch edges between sleeves
together—this last seam and lower back
seam form a T at center back when
Shrug is worn. Press seams through a
damp cloth. Slip arms in sleeves. The
garment st edge will roll back to form a
collar.

B-354 Cowl Collar and Beret

A collar that can be worn in several different ways to add a custom look to dresses and suits, and a jaunty beret to perk up your spirits.

COATS & CLARK'S "RED HEART" KNITTING WORSTED, 4 Ply ("Tangle-Proof" Pull-Out Skeins): 4 ounces of No. 227 Canary Yellow.

Knitting needles, 1 pair No. 13.


GAUGE: 10 sts = 3 inches;
6 worked rows = 1 inch.

NOTE: 2 worked rows appear as 1 row.

COWL SCARF . . . Starting at narrow end, cast on 35 sts. **1st row:** Sl 1, k in front and back of next st—one st increased, k across to within last 3 sts, k 2 tog, k 1. **2nd row (right side):** Sl 1, k 1, p 1, * k 1 in the st directly below next st and sl the st off from left hand needle—a k 1 below made; p 1. Repeat from * across to last 2 sts, k 2. **3rd row:** Repeat first row. **4th row:** Sl 1, k 1, * k 1 below, p 1. Repeat from * to last 3 sts, k 3. Repeat these 4 rows for pattern until piece measures 29 inches along the side edge and ending with a right side row. Bind off loosely. Press lightly through a damp cloth. Sew the bound-off edge neatly to the cast-on edge to form a ring.

CAP . . . Starting at lower edge, cast on 55 sts. **1st row:** K 1, * p 1, k 1. Repeat from * across. **2nd row (right side):** P 1, * k 1 below, p 1. Repeat from * across. Repeat last 2 rows alternately for 4 inches, ending with a wrong side row.

Top Shaping: **1st row:** P 1, * k 1 below, p 2 tog, p 1. Repeat from * across, ending with k 1 below, p 1—42 sts. **2nd and all even rows:** Knit. **3rd row:** P 1, * k 1 below, p 2 tog. Repeat from * across, ending with k 1 below, p 1—29 sts. **5th row:** * P 2 tog, p 1, k 1 below. Repeat from * across, ending with p 1—22 sts. **7th row:** * P 2, k 1 below. Repeat from * across, ending with p 1. **9th row:** * P 2 tog, k 1 below. Repeat from * across, ending with p 1—15 sts. **11th row:** P 1, p 2 tog, * k 1 below, p 1, p 2 tog. Repeat from * across—11 sts. **13th row:** P 2 tog, * k 1 below, p 2 tog. Repeat from * across—7 sts. **14th row:** Repeat 2nd row. Break off leaving a 10-inch length of yarn. Thread into a needle and draw through remaining sts. Pull up tightly and sew side edges neatly together.







B-355 Cossack Cap

Worn with or without
the giant pompon,
this cap is a
wonder in winter!



COATS & CLARK'S "RED HEART" KNITTING
WORSTED, 4 Ply ("Tangle-Proof" Pull-
Out Skeins): 4 ounces of No. 676 Em-
erald Green.

Knitting needles, 1 pair No. 10.

Milwards Steel Crochet Hook No. 2/0
(double zero).

GAUGE: 5 sts = 1 inch;
5 rows = 1 inch.

Starting at top edge cast on 40 sts. **1st row:** * K 1, p 1. Repeat from * across. **2nd row:** * K 1, k in front and back of next st—one st increased. Repeat from * across—60 sts. **3rd row:** * K 2, p 1. Repeat from * across. **4th row:** * K 1, p 2. Repeat from * across. **5th row:** * O, k 2, pass the O over the last 2 sts made—mock cable made, p 1. Repeat from * across. **6th row:** * K 1, p 1, inc one st in next st. Repeat from * across—80 sts. **7th row:** * Make a

mock cable, k 1, p 1. Repeat from * across. **8th row:** * K 1, p 3. Repeat from * across. **9th row:** * K 1, make a mock cable, p 1. Repeat from * across. **10th row:** Repeat 8th row. **Next 4 rows:** Repeat 7th through 10th row. **15th row:** * Make a mock cable, k 1, inc one st in next st. Repeat from * across—100 sts. **16th row:** * K 2, p 3. Repeat from * across. **17th row:** * K 1, make a mock cable, p 2. Repeat from * across. **18th row:** * K 2, p 3. Repeat from * across. **19th row:** * Make a mock cable, k 1, p 2. Repeat from * across. Repeat last 4 rows (16th through 19th row) for pattern. Work in pattern until total length is 9 inches.

Side Shaping: Bind off 20 sts for back edge; work in pattern until there are 25 sts on right hand needle, slip these 25 sts onto a holder; bind off next 30 sts for front edge. Work in pattern over remaining 25 sts, decreasing one st at both ends

Continued on page 9

B-355 *Continued from page 8*

of every row until 13 sts remain. Bind off. Slip sts from holder onto a needle and work same as for opposite side. Thread a needle with a strand of same yarn, gather cast-on sts tightly. Sew edges together for side seam. With right side facing attach yarn to bottom edge and sc around lower edge easing it in

slightly. Join. *Next rnd:* Ch 1, sc in each sc around. Join. Break off and fasten.

POMPON . . . Cut 2 cardboard circles, each $4\frac{1}{2}$ inches in diameter. Cut a hole $1\frac{1}{4}$ inches in diameter in center of each circle. Using two 10-yard lengths of yarn, complete as for Pompon on page 31. Remove cardboard and trim evenly. Tack to top of hat.

B-356

Stretch Bed Socks

Soft and cozy, for
all women's sizes.



**COATS & CLARK'S "RED HEART" SUPER FIN-
GERING, 3 Ply** (1 oz. "Tangle-Proof"
Pull-Out Skeins): 2 skeins of No. 722
Lt. Pink.

Knitting needles, 1 pair No. 13.

$\frac{1}{2}$ yard of narrow elastic.

GAUGE: 9 sts = 2 inches;
7 rows = 1 inch.

Starting at back seam, cast on 40 sts. Knit across. Now work as follows: **1st row (lower edge):** K 1, inc one st in next st, k to end of row. **2nd row:** K 1, k 2 tog, k to end of row. Repeat these 2 rows alternately for $6\frac{1}{2}$ inches, ending with 2nd row. **Next row:** Repeat 2nd row. **Following row (top edge):** Repeat first row.

Repeat last 2 rows alternately until total length is 13 inches. Bind off. Fold in half. Sew sole seam. Sew lower 4 inches of back seam.

Cuff: Fold 2 inches from top edge and sew edge to right side of sock leaving $2\frac{1}{2}$ inches free at back. Cut elastic in half and draw through cuff, sewing ends of elastic together. Fold point at end of cuff to form a straight edge extending beyond back seam, sewing edges together. Complete point at opposite end the same way. Thread needle with a one yard length of yarn, double and knot, draw through each narrow end of cuff and pull tightly winding several times around to form a bow.

B-357 Casual Cable Overblouse

Quick-knit with a different diagonal effect

Directions are given for Small Size (to fit Sizes 30-32). Changes for Medium (to fit Sizes 34-36) and Large (to fit Sizes 38-40) are in parentheses.

COATS & CLARK'S "RED HEART" KNITTING
WORSTED, 4 Ply ("Tangle-Proof" Pull-
Out Skeins): 8 (10, 11) ounces of No.
676 Emerald Green.

Knitting needles, 1 pair No. 13.

GAUGE: 3 sts = 1 inch;
9 rows = 2 inches.

BLOCKING MEASUREMENTS:

Sizes	Small	Medium	Large
Body Bust Size (In Inches)	30-32	34-36	38-40
Actual Knitting Measurements			
Bust	34	38	42
Width across back or front at underarm	17	19	21
Length from back of neck to lower edge	22	23	24

BACK . . . Starting at lower edge cast on 12 sts. **1st row (wrong side):** Inc one st in first st, p 1, k 1, (p 1, inc one st in next st) 3 times; k 1, p 1, inc one st in last st—17 sts. **2nd row:** Inc in first st, k 2, place a marker on needle, p 1, k 9 for cable panel, place another marker on needle, p 1, k 2, inc in last st. **3rd and every uneven row:** Inc in first st, p to within one st before next marker, k 1, slip marker, p 9, k 1, slip marker, p to within last st, inc in last st. **Note:** Always slip markers. **4th row:** Inc in first st, k to within one st of next marker, k in front and back of next st, p 1, k 9, p and k in next st, k to within last st, inc in last st—25 sts. **6th row:** Inc in first st, k to next marker, p 1, k 9, p 1, k to within last st, inc in last st. **8th row:** Inc in first st, k to within one st before

next marker, k in front and back of next st, p 1, slip next 3 sts on a double-pointed needle and hold in back of work, k next 3 sts, bring the double-pointed needle with the 3 sts to front of work and k next 3 sts from left-hand needle, k the 3 sts from the double-pointed needle—cable twist mode; p and k in next st, k across, increasing one st in last st—35 sts. **10th row:** Repeat 6th row. **12th row:** Repeat 4th row—45 sts. Repeat 5th through 12th row incl until there are 55 (61, 67) sts. Omitting the increases at side edges, work in pattern for 3 (—, 2) rows. **Next row:** With yarn in front sl 1, dec next st as follows: sl 1, k 1, p.s.s.o.; increasing one st before first marker and after 2nd marker as before, work in pattern to within last 3 sts, k 2 tog, k 1. **NOTE:** Hereafter start each p row with yarn in back, each k row with yarn in front and slip the first st. **Next 3 rows:** Keeping side edges even, work in pattern across. Repeat last 4 rows until total length of cable panel is 20 (21, 22) inches. Work in pattern for 2 more inches but do not twist the cables and end with a row following an inc row.

Neck Shaping: **1st row:** Sl 1, k 21 (24, 27), place these sts on a stitch holder to be worked later, bind off next 11 sts very loosely, k to end of row. **2nd row:** Sl 1, p to last 2 sts, p 2 tog. **3rd row:** K 2 tog, k to last 3 sts, k 2 tog, k 1. **4th row:** Repeat 2nd row. **5th row:** K 2 tog, k remaining sts. Repeat last 4 rows until 12 sts remain. Bind off. Attach yarn to first st at opposite side of neck edge and work to correspond, reversing shaping.

Continued on page 14



B-358

Quick-Knit Twisted Cable Cardigan

A wonderful gift to make for the favorite man in your life

Directions are given for Size 38. Changes for Sizes 40, 42 and 44 are in parentheses.

COATS & CLARK'S "RED HEART" KNITTING WORSTED, 4 Ply ("Tangle-Proof" Pull-Out Skeins): 19 (20, 22, 23) ounces of No. 651 Field Green.

Knitting Needles, 1 pair No. 8 and No. 10.

29-inch circular needle, No. 8.

7 buttons.

GAUGE: 4 sts = 1 inch;
11 rows = 2 inches.

Sizes	38	40	42	44
Body Chest Size (In Inches)	38	40	42	44
Actual Knitting Measurements				
Chest (buttoned)	41	43	45	47
Width across back at underarm	20½	21½	22½	23½
Width across each front at underarm (excluding band)	9½	10½	10½	11½
Width across back above armhole shaping	15½	16½	16½	17½
Length from shoulder to lower edge	23	24	24½	25½
Length of side seam	14	14½	15	15½
Length of sleeve seam	18½	18½	19	19
Width across sleeve at upper arm	15½	16½	16½	17½

BACK . . . Starting at lower edge with No. 8 needles, cast on 82 (86, 90, 94) sts. Work in ribbing as follows: **1st row:** P 2, * k 2, p 2. Repeat from * across. **2nd row (right side):** K 2, * p 2, k 2. Repeat from * across. Repeat these 2 rows for 2 inches,

ending with first row. Change to No. 10 needles and work in pattern as follows: **1st row:** P 1, * slip next st on cable holder and hold in front of work, p 1, insert right-hand needle in front loop of 2nd st on left-hand needle, k this st and slip it off over the first st, k the st from cable holder—front and back cable mode, p 1. Repeat from * across, ending with p 2 instead of p 1. **Next 7 rows:** Repeat 2nd and first rows of ribbing alternately. **9th row:** K 1, k the 2nd st on left-hand needle and slip off over first st as before, p 1, * make a front and back cable, p 1. Repeat from * across, ending with slip next st on cable holder and hold in front of work, p 1, k the st from cable holder, k 1. **Next 7 rows:** Repeat first and 2nd rows of ribbing alternately, ending with first row. Repeat these 16 rows for pattern. Work even in pattern until total length is 14 (14½, 15, 15½) inches, ending with a wrong side row.

Armhole Shaping: Keeping in pattern, bind off 5 (5, 7, 7) sts at beg of next 2 rows. Dec one st at both ends of every other row 5 times. Work even in pattern on 62 (66, 66, 70) sts until length from first row of armhole shaping is 9 (9½, 9½, 10) inches, ending with a wrong side row.

Shoulder Shaping: Bind off 7 sts at beg of next 4 rows, then bind off 6 (6, 6, 8) sts at beg of next 2 rows. Bind off remaining 22 (26, 26, 26) sts for back of neck.

LEFT FRONT . . . Starting at lower edge with No. 8 needles, cast on 38 (42, 42, 46) sts. Work same as for Back until total

Continued on page 14



B-358 *Continued from page 12*

length is 14 (14½, 15, 15½) inches, ending with same pattern row as on Back preceding armhole shaping.

Armhole Shaping: Bind off 5 (5, 7, 7) sts at beg of next row. Dec one st at same edge every other row 5 times. Work even on 28 (32, 30, 34) sts until length from first row of armhole shaping is 3 (3, 3½, 4) inches, ending at front edge.

Neck Shaping: Place a marker in first st of next row to indicate start of neck shaping. Keeping in pattern, dec one st at beg of next row and at same edge every other row thereafter 7 (11, 9, 11) times more. Work even on 20 (20, 20, 22) sts until length from first row of armhole shaping is 9 (9½, 9½, 10) inches, ending at armhole edge with same pattern row as on Back.

Shoulder Shaping: 1st row: Bind off 7 sts, complete row. 2nd row: Work across. Repeat first and 2nd rows once more. Bind off remaining sts.

RIGHT FRONT . . . Work as for Left Front to armhole shaping ending with a right side row. Complete as for Left Front, reversing shapings.

SLEEVES . . . Starting at lower edge with No. 8 needles, cast on 42 (42, 46, 46) sts. Work in ribbing as on Back for 3 inches. Change to No. 10 needles and work in pattern as on Back. Working the increased sts in pattern, inc one st at both ends of every 8th (6th, 8th, 6th) row 10 (12, 10, 12) times. Work even on 62 (66, 66, 70) sts until total length is 18½ (18½, 19, 19) inches, ending with a wrong side row.

Top Shaping: Bind off 5 (5, 7, 7) sts at beg of next 2 rows. Dec one st at both ends of every other row until length from first row of top shaping is 5½ (6, 6, 6½) inches. Bind off 3 sts at beg of next 4 rows. Bind off remaining sts.

Block to measurements. Sew shoulder seams.

Band: With right side facing and circular needle, pick up and k 110 (114, 118, 122) sts along Right Front edge, pick up and k 22 (26, 26, 26) sts across back of neck; pick up and k 110 (114, 118, 122) sts along Left Front edge. There are 242 (254, 262, 270) sts on needle. 1st row: P 2, * k 2, p 2. Repeat from * across. 2nd row: K 2, * p 2, k 2. Repeat from * across. On Sizes 38 and 42 only, work one more row of ribbing. With pins, mark the position of 7 buttonholes evenly spaced on Left Front band, having first pin ½ inch above lower edge and the last pin ½ inch below neck marker.

Next row: (Work in ribbing across to next pin, bind off next 2 sts) 7 times; complete row in ribbing. **Following row:** Work in ribbing as established, casting on 2 sts to replace each set of bound-off sts. Work 2 (2, 3, 2) more rows of ribbing. Bind off loosely in ribbing. Sew side and sleeve seams. Sew in sleeves. Work buttonhole st around buttonholes. Sew on buttons.

B-357 *Continued from page 10*

FRONT . . . Work same as Back.

CORD . . . Cast on 160 sts. Bind off in k 1, p. 1 ribbing.

Block to measurements. Starting at side edges, sew shoulder seams for 4 inches. Sew side seams, leaving 6½ (7, 7½) inches open at top for armholes. Fold neck edges to wrong side having center front about 2 inches down and center back about ½ inch down and sew edges in place. Fold the end sts of each armhole to wrong side and hem. Make a ½ inch hem around lower edge.

POMPON (make 2) . . . Using two 8-yard lengths of yarn work as for Pompon on page 31. Sew one pompon to each end of cord.

Simple to knit . . .
it fits most girls'
and women's sizes

B-359 **Beret**



**COATS & CLARK'S "RED HEART" KNITTING
WORSTED, 4 Ply ("Tangle-Proof" Pull-
Out Skeins):** 3 ounces of No. 909
Scarlet.

Knitting needles, 1 pair No. 10.

GAUGE: Pattern st — 5 sts = 1 inch;
6 rows = 1 inch.

RIBBED BAND . . . Starting at lower edge
cast on 62 sts. Work in k 1, p 1 ribbing
for 2 inches. **Next row:** * K 1, inc one st
in next st. Repeat from * across—93 sts.
Now work in pattern as follows: **1st row:**
P across. **2nd row (right side):** K 1, *
holding yarn in back of work slip 1, k 1.
Repeat from * across. **3rd row:** P across.
Note: Always slip sts with yarn in back of
work. **4th row:** K 2, * slip 1, k 1. Repeat
from * across, ending with k 2 instead
of k 1. Repeat last 4 rows for pattern.

Work in pattern until total length is
about 8½ inches ending with 4th pattern
row. Work decrease rows as follows:
1st row: P 1, * (p 2 tog) twice, p 2. Re-
peat from * across, ending with p 2 tog—
62 sts. **2nd row:** * K 1, slip 1. Repeat
from * across, ending with k 2. **3rd row:**
P across. **4th row:** K 2, * slip 1, k 1. Re-
peat from * across. **5th row:** * P 2 tog.
Repeat from * across—31 sts. **Next 3
rows:** Repeat 2nd, 3rd and 4th pattern
rows. **9th row:** * P 2 tog. Repeat from *
across, ending with p 1. Break off leaving
a 12-inch length of yarn. Thread the
yarn into a needle and draw through re-
maining 16 sts. Pull up tightly. Sew edges
together for back seam.

B-360

Horizontal-Knit Child's Popover

This sleeveless, boat-neck pullover is perfect
over shirts and blouses, at home or in school.

COATS & CLARK'S "RED HEART" KNITTING WORSTED, 4 Ply ("Tangle-Proof" Pull-Out Skeins):

Sizes	2	4	6	8	10	12
Ounces of Main Color.....	3	4	5	6	8	9
2 ounces of No. 950 Mexicana for all Sizes						

Knitting needles, 1 pair No. 8 and No. 10½.

GAUGE: 4 sts = 1 inch; 10 rows = 1¾ inches.


BLOCKING MEASUREMENTS:	Sizes	2	4	6	8	10	12
Body Chest Size (In Inches).....		21	23	24	26	28	30
Actual Knitting Measurements							
Chest		23	25	27	29	31	33
Width across back or front at underarm.....		11½	12½	13½	14½	15½	16½
Length of side seam (incl ribbing).....		6¾	8¾	9¾	10¾	10¾	11¾
Length from back of neck to lower edge (incl both ribbing)		11¾	13¾	15¾	16¾	17¾	18¾

BACK . . . Starting at side edge with Main Color and No. 10½ needles, cast on.....**Stitches**
work in stockinette st (k 1 row, p 1 row) for.....**Rows**
Work in stripe pattern as follows: **1st row:** Change to Mexicana and k across. **2nd through 4th row:** K 1, * p 1, k 1. Repeat from * across—moss st. Change to Main Color. **5th through 10th row:** Work in stockinette st. Repeat first through 10th row.....**More Times**
Then repeat first through 4th row once more. Change to Main Color and work in stockinette st for**Rows**
Bind off.

WAISTBAND . . . With right side facing, using Main Color and No. 8 needles, pick up and k along ends of rows**Stitches**
1st row: P 2, * k 2, p 2. Repeat from * across. **2nd row:** K 2, * p 2, k 2. Repeat from * across. Repeat last 2 rows until waistband measures.....**Inches**
Bind off loosely in ribbing.

33	41	47	51	53	57
6	4	8	4	8	6
4	5	5	6	6	7
6	4	8	4	8	6
54	62	66	70	74	82
1¾	1¾	2¼	2¼	2¾	2¾

Continued on page 17



B-360 *Continued from page 16*

TOP BAND . . . Work same as waistband until first row has been completed. Work short rows as follows: **1st row:** With No. 10½ needle, work in ribbing as established across to within last 6 sts, slip remaining 6 sts, in **knitting position**, on other

No. 10½ needle, turn. **2nd row:** Sl 1, work to within last 6 sts, turn. **3rd and 4th rows:** Sl 1, work across to within last 12 sts, turn. **5th row:** Sl 1, work to end of needle. **6th row:** Work even. Bind off loosely in ribbing.

FRONT . . . Work same as Back.

Sizes **2** **4** **6** **8** **10** **12**

Block to measurements. Mark off on Back and Front Top Bands, the center.....**Stitches**
Sew remaining**Stitches**
on both sides for shoulders.

36	38	38	40	40	42
9	12	14	15	17	20

Armhole Edge . . . Starting at shoulder seam, mark off at each side edge.....**Inches**
With right side facing, using Main Color and No. 8 needles, pick up and k between markers.....**Stitches**
K 1 row, p 1 row; then bind off loosely knitting the sts. Sew side seams to armhole edge, sew ends of armhole edge. Sew bound-off sts of armhole edge to wrong side of armhole.

4½	5	5½	6	6½	7
36	40	44	48	52	56

B-361 Honeycomb Border Jacket

Quick-to-knit and very inexpensive, too!

COATS & CLARK'S "RED HEART" KNITTING WORSTED, 4 Ply ("Tangle-Proof" Pull-Out Skeins): 11 ounces for Small and Medium Sizes; 12 ounces for Large Size.

Sizes	Small (Size 10)	Medium (Sizes 12-14)	Large (Sizes 16-18)
Knitting needles	No. 6	No. 8	No. 10

GAUGE (Stockinette St):

5 sts = 1 inch;	4½ sts = 1 inch;	4 sts = 1 inch;
7 rows = 1 inch.	6 rows = 1 inch.	5 rows = 1 inch.

BLOCKING MEASUREMENTS:

Bust (Inches)	32	36	40
Width across back at underarm	16	18	20
Width across each front at underarm	8	9	10
Width across back above armhole shaping	11½	13	14½
Length from shoulder to lower edge	14	16	18½
Length of side seam.....	7½	8½	10
Length of sleeve seam.....	10½	12½	14½
Width of sleeve at upper arm	11½	13	14½

NOTE: For Small Size use Knitting Needles No. 6, for Medium Size No. 8, and for Large Size No. 10. Be sure to maintain a loose tension so that stitches will move back and forth freely on a needle at all times.

BACK . . . Cast on 86 sts and k 2 rows. Work in pattern as follows: 1st row: K 1, * k 1, p 4, k 1. Repeat from * across to last st, k 1. 2nd row: K 1, * p 1, O, k 4, O, p 1. Repeat from * across to last st, k 1. 3rd row: K 1, * slip next st on a cable holder and hold in front of work, drop next O, p 2, k the st from holder—a left twist made; slip next 2 sts on a cable holder and hold in back of work, drop next O, k 1, p 2 sts from holder—a right twist made. Repeat from * across to last

st, k 1. 4th row: K 1, * k 2, p 2, k 2. Repeat from * across to last st, k 1. 5th row: K 1, * p 2, k 2, p 2. Repeat from * across, ending with k 1. 6th and 7th rows: Repeat 4th and 5th rows. 8th row: K 1, * k 2, O, p 2, O, k 2. Repeat from * across, ending with k 1. 9th row: K 1, * make a right twist over next 3 sts; make a left twist over next 3 sts. Repeat from * across to last st, k 1. 10th row: K 1, * p 1, k 4, p 1. Repeat from * across to last st, k 1. 11th and 12th rows: Repeat first and 10th rows. 13th through 16th row: Repeat first through 4th row once more. Next row: (K 8, k 2 tog) 8 times; k 6—78 sts remain. Starting with a p row work 33 rows in stockinette st (k 1 row, p 1 row).

Continued on page 23



B-362 Cable V-Neck Pullover

You will be astonished at how fast this sweater will be finished!

Directions are given for Size 38. Changes for Sizes 40, 42 and 44 are in parentheses.

COATS & CLARK'S "RED HEART" KNITTING WORSTED, 4 Ply ("Tangle-Proof" Pull-Out Skeins): 12 (12, 13, 13) ounces of No. 909 Scarlet.

Knitting needles, 1 pair No. 8 and No. 10.

GAUGE: Stackinette 5t—4 sts = 1 inch;
11 rows = 2 inches.
Cable Panel—13 sts = 2¾ inches;
11 rows = 2 inches.

BLOCKING MEASUREMENTS:

Sizes	38	40	42	44
Body Chest Size (In Inches)	38	40	42	44
Actual Knitting Measurements				
Chest	40	42	44	46
Width across back or front at underarm	20	21	22	23
Width across back or front above arm-hole shaping	13	13½	14	14½
Length from shoulder to lower edge	23½	23½	24	24
Length of side seam	14	14	14	14

BACK . . . Starting at lower edge with No. 8 needles, cast on 86 (90, 94, 98) sts. Work in k 1, p 1 ribbing for 4 inches, increasing one st on last row—87 (91, 95, 99) sts. Change to No. 10 needles and work in pattern as follows: **1st row:** K 37 (39, 41, 43), place a marker on needle, p 1, (k 2, p 1) 4 times; place a marker on needle, k 37 (39, 41, 43). **2nd row:** P to first marker, slip marker, k 1, (p 2, k 1) 4 times; slip marker, p to end of row.

Next 2 rows: Slipping markers, repeat first and 2nd rows. **NOTE:** Always slip markers. **5th row:** K to next marker, p 1; *slip the next 3 sts on a cable holder and hold in back of work, k next 2 sts from left hand needle, p 1 and k 2 sts from holder—back cable made;* p 1; *slip the next 2 sts on cable holder and hold in front of work, k next 2 sts and p 1 from left hand needle, k the 2 sts from cable holder—front cable made;* p 1, k to end of row. **Next 3 rows:** Repeat 2nd, first and 2nd rows. **9th row:** K to next marker, p 1, k 2, p 1, make a back cable over the next 5 sts, p 1, k 2, p 1, k remaining sts. **10th row:** Repeat 2nd row. **11th row:** K 23 (24, 25, 26), p 1, k 13 (14, 15, 16), p 1, (k 2, p 1) 4 times; k 13 (14, 15, 16), p 1, k remaining sts. **12th row:** P 22 (23, 24, 25), k 3, p 12 (13, 14, 15), k 1, (p 2, k 1) 4 times; p 12 (13, 14, 15), k 3, p remaining sts. **13th row:** K 21 (22, 23, 24), p 1, (k 1, p 1) twice; k 11 (12, 13, 14), p 1, make a back cable over the next 5 sts, p 1, make a front cable over the next 5 sts, p 1, k 11 (12, 13, 14), p 1, (k 1, p 1) twice; k remaining sts. **14th row:** P 20 (21, 22, 23), k 1, (p 2, k 1) twice; p to next marker, k 1, (p 2, k 1) 4 times; p 10 (11, 12, 13), k 1, (p 2, k 1) twice; p remaining sts.

15th row: K 19 (20, 21, 22), p 2, k 2, p 1, k 2, p 2, k to next marker, p 1, (k 2, p 1) 4 times; k 9 (10, 11, 12), p 2, k 2, p 1, k 2, p 2, k remaining sts. **16th row:** P 18 (19, 20, 21), k 1, p 1, (k 1, p 2) twice; k 1, p 1, k 1, p 8 (9, 10, 11), k 1, (p 2, k 1) 4 times; p 8 (9, 10, 11), k 1, p 1, k 1, (p 2, k 1) twice; p 1, k 1, p remaining sts. **17th row:** K 17 (18, 19, 20), place a marker on needle, p 1, k 2, p 1, make a

Continued on page 22



B-362 *Continued from page 20*

back cable over next 5 sts, p 1, k 2, p 1, place a marker, k to next marker, p 1, k 2, p 1, make a back cable, p 1, k 2, p 1, k 7 (8, 9, 10), place a marker, p 1, k 2, p 1, make a back cable, p 1, k 2, p 1, place a marker, k remaining sts. **18th row:** * P to next marker, k 1, (p 2, k 1) 4 times. Repeat from * twice more, p remaining sts. **19th row:** * K to next marker, p 1, (k 2, p 1) 4 times. Repeat from * twice more, k remaining sts. **20th row:** Repeat 18th row. **21st row:** * K to next marker, p 1, make a back cable, p 1, make a front cable, p 1. Repeat from * twice more, k remaining sts. **Next 2 rows:** Repeat 18th and 19th rows. **24th row:** Repeat 18th row. Slipping markers, repeat 17th through 24th row for pattern. Work even in pattern until total length is about 14 inches, ending with 24th row of pattern.

Armhole Shaping: Continuing in pattern, bind off 6 sts at beg of next 2 rows. Dec one st at both ends of every row 6 times; then dec one st at both ends of every other row 2 (3, 4, 5) times. Work even in pattern on 59 (61, 63, 65) sts until length is 9½ (9½, 10, 10) inches from first row of armhole shaping, ending with a wrong side row.

Shoulder Shaping: Bind off 9 sts at beg of next 4 (2, 2, 2) rows, then bind off 10 sts at beg of next—(2, 2, 2) rows. Bind off remaining 23 (23, 25, 27) sts for back of neck.

FRONT . . . Work same as Back until total length is same as Back to armhole shaping, ending with same pattern row.

Armhole Shaping: **1st row:** Bind off 6 sts, complete row in pattern as established. Remove markers from each side of center cable panel only. **2nd row:** Bind off 6 sts, work in pattern to 2nd marker, p 8 (9, 10, 11), k 1, p 1, k 1, (p 2, k 1) twice; p 1, k 1, p 8 (9, 10, 11), complete row in pattern as established. **3rd row:** K 2 tog,

work in pattern to 2nd marker, k 9 (10, 11, 12), p 2, k 2, p 1, k 2, p 2, k to next marker, complete row, decreasing one st at end of row. **4th row:** P 2 tog, work in pattern to 2nd marker, p 10 (11, 12, 13), k 1, (p 2, k 1) twice; p to next marker, complete row, decreasing one st at end of row. **5th row:** K 2 tog, work in pattern to 2nd marker, k 11 (12, 13, 14), p 1, (k 1, p 1) twice; k to next marker, complete row, decreasing one st at end of row. **6th row:** P 2 tog, work across to 2nd marker, p 12 (13, 14, 15), k 3, p to next marker, complete row, decreasing one st at end. **7th row:** K 2 tog, work across to 2nd marker, k 13 (14, 15, 16), p 1, k 13 (14, 15, 16), complete row, decreasing one st at end. **8th row:** P 2 tog, work across to 2nd marker, p 13 (14, 15, 16). Place remaining sts from left hand needle on a stitch holder to be worked later. **Turn.**

Neck Shaping: Continuing pattern as established, dec one st at armhole edge every other row 2 (3, 4, 5) times in all.

At Same Time

dec one st at neck edge every 4th row until 18 (19, 19, 19) sts remain. Work even until length is same as Back to Shoulder Shaping, ending at armhole edge with same pattern row as on Back.

Shoulder Shaping: **1st row:** Bind off 9 sts, complete row. **2nd row:** Work across. Bind off remaining sts. Slip sts from stitch holder onto a needle. With wrong side facing, place the first (center) st, on a safety pin to be worked later, attach yarn to next st and work across, decreasing one st at end of row. Complete to correspond to other side, reversing shapings.

NECKBAND . . . Sew right shoulder seam. With right side facing and No. 8 needles, starting at left shoulder, pick up and k 41 (41, 43, 43) sts along left neck edge, place a marker on needle, k the center st from safety pin, place a marker, pick up and k 41 (41, 43, 43) sts along right neck edge and 24 (24, 26, 28) sts across back

Continued on page 23

B-362 *Continued from page 22*

of neck—107 (107, 113, 115) sts. 1st row (wrong side): K 1, * p 1, k 1. Repeat from * across to within 2 sts of first marker, p 2 tog, p the center st, p 2 tog, k 1, ** p 1, k 1. Repeat from ** to end of row. 2nd row: Work in ribbing as established to within 2 sts of first marker, p 2 tog, k the center st, p 2 tog, complete row in ribbing. Next 2 rows: Repeat first and 2nd rows. Bind off loosely in ribbing.

ARMBANDS . . . Sew left shoulder seam. With right side facing, pick up and k 98 (98, 104, 104) sts along armhole edge. Work 4 rows of k 1, p 1 ribbing. Bind off loosely in ribbing.

Block to measurements. Sew side seams.

HONEYCOMB BORDER JACKET

B-361 *Continued from page 18*

Armhole Shaping: Bind off 4 sts at beg of next 2 rows. Dec one st at both ends of every other row 6 times. Work 28 rows even over remaining 58 sts.

Shoulder Shaping: Bind off 6 sts at beg of next 4 rows and 7 sts at beg of following 2 rows. Purl one row over remaining 20 sts; then bind off knitting the sts loosely.

RIGHT FRONT . . . Cast on 45 sts and k 2 rows. Work in pattern as follows: 1st row: K 2 for front edge, * k 1, p 4, k 1. Repeat from * across to last st, k 1. 2nd row: K 1, * p 1, O, k 4, O, p 1. Repeat from * across to last 2 sts, k 2 for front edge. Starting every uneven row with k 2 (front edge) instead of k 1 and ending every even row with k 2 (front edge) instead of k 1, work same as 3rd through 16th row of Back. Next row: Work in pattern as established over first 14 sts for front band, (k 2 tog, k 6) 3 times; k 2 tog, k 5—41 sts remain. Following row: P 27, complete row in pattern. Keeping the 14 sts at front edge in pattern and remaining 27 sts in stockinette st, work even until total length is same as Back to armhole shaping ending at side edge.

Armhole Shaping: 1st row: Bind off 4 sts, work across. 2nd row (front edge): Work first 14 sts in pattern, k 2 tog, k across. Continue to dec one st at armhole edge on every other row 6 times in all

AT THE SAME TIME

dec one st inside front border on every 3rd row 12 times in all. Work even over remaining 19 sts until piece measures same as Back to within shoulder shaping ending at armhole edge.


Shoulder Shaping: Starting at armhole edge bind off 6 sts every other row twice; starting at same edge bind off remaining 7 sts.

LEFT FRONT . . . Cast on 45 sts and knit 2 rows. Work in pattern as follows: 1st, 3rd, 5th, 7th, 9th and 11th rows: Ending with k 2 (front edge) instead of k 1, repeat first, 3rd, 5th, 7th, 9th and 11th rows of Back. 2nd, 4th, 6th, 8th, 10th and 12th rows: Starting with k 2 (front edge) instead of k 1 repeat 2nd, 4th, 6th, 8th, 10th and 12th rows of Back. Repeat first through 4th row once more. Next row: K 5, k 2 tog, (k 6, k 2 tog) 3 times; work remaining 14 sts in pattern as established. Following row: Work in pattern over first 14 sts, p 27. Position of front border has been established. Work to correspond with Right Front reversing shapings.

SLEEVES . . . Cast on 44 sts. Work same as Back until the 16th row of pattern has been completed. Work 4 rows of stockinette st. Continuing in stockinette st, inc one st at both ends of next row and every 7th row thereafter until there are 58 sts on needle. Work 9 rows even (74 rows in all).

Top Shaping: Bind off 4 sts at beg of next 2 rows. Dec one st at both ends of every other row until 30 sts remain. Dec one st at both ends of every row until 18 sts remain. Bind off.

Block to measurements. Sew shoulder, side and sleeve seams. Sew in sleeves.



Mock-Smock Pillows

Illustrated in color
on back cover



B-363 Pompon Pillow

COATS & CLARK'S "RED HEART" KNITTING
WORSTED, 4 Ply ("Tangle-Proof" Pull-
Out Skeins): 3 ounces of No. 602 Dk.
Gold; 1 ounce of No. 919 Cardinal
and 5 ounces of No. 12 Black.

Knitting needles, 1 pair No. 11.

Milwards Tapestry Needle No. 18.

16-inch square pillow.

GAUGE: $3\frac{1}{2}$ sts = 1 inch;
8 rows = $1\frac{1}{2}$ inches.

FRONT . . . Starting at lower edge with
Gold, cast on 51 sts. Drop Gold, attach
Cardinal. 1st row: With Cardinal k across.
2nd row (right side): P across. Break off
Cardinal and fasten, pick up Gold. 3rd
and 4th rows: With Gold k across. 5th row:
P across. 6th row: K across. 7th and 8th
rows: Repeat 5th and 6th rows. Drop
Gold. Repeat first through 8th row 12
more times—13 Cardinal ridges. With Gold
bind off knitting the sts.

Continued on page 25

POMPON (make 54) . . . Wind Black 15 times around two fingers. Slip from fingers and tie strands securely together at center with another 6-inch strand. Leaving tying strands free, cut loops at each end and trim to form a small ball. Divide first ridge into 5 equal parts using 4 pins. * Thread one tying strand of a pompon into a tapestry needle. With right side facing draw first and 2nd ridges together at a pin and tie securely under the pompon. Repeat from * at each pin. In same way, draw 3rd and 4th ridges together having pompons directly above previous pompons. Draw together 5th and 6th;

7th and 8th; 9th and 10th; 11th and 12th ridges. Draw together 2nd and 3rd ridges having each pompon centered between sets of previous pompons. Draw together 4th and 5th; 6th and 7th; 8th and 9th; 10th and 11th; 12th and 13th ridges.

BACK . . . With Black cast on 51 sts. Work in stockinette st (k 1 row, p 1 row) for 13 inches. Bind off. Block to measure 14 x 14 inches. Sew cast-on and bound-off edges of both pieces together; then sew one side seam, drawing together necessary ridges to maintain pattern. Slip pillow inside and sew other side seam in same way. Make 14 more pompons and sew in pattern along side edges.

B-364 *Petal Pillow*



COATS & CLARK'S "RED HEART" KNITTING WORSTED, 4 Ply ("Tangle-Proof" Pull-Out Skeins): 6 ounces of No. 649 Olive Green.

Knitting needles, 1 pair No. 10½.

Milwards Tapestry Needle No. 18.

Round pillow 17 inches in diameter.

GAUGE: 4 sts = 1 inch;

8 rows = 1½ inches.

FRONT . . . Starting at outer edge, cast on 180 sts. **1st row:** K across. **2nd row** (right side): P across. **3rd and 4th rows:** K across. **5th row:** P across. **6th row:** K across. **7th and 8th rows:** Repeat 5th and 6th rows. **Next 3 rows:** Repeat first through 3rd row. **12th row:** * K 4, k 2 tog, place a marker on needle. Repeat from * across—150 sts. **Next 7 rows:** Repeat 5th through 8th row; then first through 3rd row. **20th row:** * K to within 2 sts of next marker, k 2 tog. Repeat from * across—30 sts decreased. Repeat last 8 rows 3 times more—30 sts remain. **Last 2 rows:** Repeat 5th and 6th

rows. Break off leaving an 18-inch length. Thread a tapestry needle with this length and slip remaining sts on it. Draw sts together tightly and fasten securely. Sew seam matching ridges. Using pins divide first ridge on outer edge into 8 equal parts. With right side facing using 2 strands of yarn and tapestry needle, draw first and 2nd ridges together at each pin with 2 overcast sts. Fasten securely on wrong side. In same way, draw 3rd and 4th ridges together having stitches in line with previous stitches. Draw together 5th and 6th ridges in same way.

BACK . . . Starting at outer edge cast on 180 sts. Work in stockinette st (k 1 row, p 1 row) for 6 rows. **7th row:** Repeat 12th row of Front—150 sts. **8th through 12th row:** Work even. **13th row:** Repeat 20th row of Front—30 sts decreased. Repeat last 6 rows until 30 sts remain. Work 2 rows even, then end off and sew seam same as Front. Press through damp cloth. Sew outer edges together inserting pillow before opening is entirely closed.



B-365 Pompon Topper

COATS & CLARK'S "RED HEART" KNITTING WORSTED, 4 Ply ("Tangle-Proof" Pull-Out Skeins): 2 ounces of No. 679 Nile Green; 1/3 ounce of No. 676 Emerald Green. 7 yards of assorted variegated colors for each of 4 pompons; 7 yards of assorted plain colors for each of 11 pompons; 10 inches of contrasting colors for each center of 8 pompons.

Knitting needles, 1 pair No. 10.

3/4 yard elastic thread.

2 yards of gold metallic ribbon.

GAUGE: 3 sts = 1 inch;
6 rows = 1 inch.

COVER . . . Starting at lower edge with Nile Green, cast on 43 sts. Work in stockinette st (k 1 row, p 1 row) for 4 1/2 inches, ending with a p row. **Next row:** K 1, (place a marker on needle, k 2 tog,

Powder Room Tissue Toppers

Pretty cover-ups for
the extra roll of tissue
in your bathroom



k 5) 6 times—6 sts decreased. **Following row:** Slipping markers, p across. **Next row:** K 1, * slip marker, k 2 tog, k to next marker. Repeat from * across. Repeat last 2 rows until 13 sts remain, ending with a p row. **Next row:** Removing markers, k 1, (k 2 tog) 6 times. Break off, leaving a 10-inch length of yarn. Thread into a needle and draw through remaining 7 sts. Pull up tightly. Sew side edges together. Fold elastic thread in half and draw through sts at lower edge of Cover. Pull up tightly to fit over tissue roll and tie ends together.

Continued on page 31

B-366

Flower Topper

COATS & CLARK'S "RED HEART" KNITTING WORSTED, 4 Ply ("Tangle-Proof" Pull-Out Skeins): 1 ounce of No. 230 Yellow; 1/3 ounce each of No. 1 White, No. 686 Paddy Green and No. 909 Scarlet.

Knitting needles, 1 pair No. 9.

Small spool of bead wire; 1/2 yard elastic thread.

GAUGE: 7 sts = 2 inches;
5 rows = 1 inch.

TOPPER . . . Starting at lower edge with Yellow, cast on 49 sts. Work in stockinette st (p 1 row, k 1 row) for 7 rows. **8th, 9th and 10th rows:** P 1, * k 1, p 1. Repeat from * across. **11th through 15th row:** Starting with a p row, work in stockinette st. Repeat last 8 rows (8th through 15th row) once; then repeat 8th through 10th row once. **Next 3 rows:** Work in stockinette st as before. **1st dec row:** (K 2 tog, k 5) 7 times. **Following and every wrong side row:** P across. **2nd dec row:** (K 2 tog, k 4) 7 times. **3rd dec row:** (K 2 tog, k 3) 7 times. Continue to dec 7 sts evenly spaced every other row, having one st less between decreases until 7 sts remain. Break off, leaving a 6-inch strand. Draw through remaining sts and pull up tightly. Sew seam. Fold elastic thread in half and draw through first row. Pull up tightly to fit over tissue roll and tie ends together.

LEAF (make 5) . . . With Green and leaving a 9-inch length of yarn cast on one st. **1st row:** K in front, in back and in front of st on needle—3 sts. **2nd row:** K in front and back of first 2 sts, k next st—5 sts.

NOTE: Always slip sts with yarn in front of work. **3rd row:** Sl first st, p 1, sl next st—center st, p 2. **4th row:** Sl first st, inc one st in each of next 2 sts, k 2—7 sts. **5th row:** Slipping first and center st, p across. **6th row:** K 2 tog, inc one st in each of next 2 sts, k 1, k 2 tog—7 sts. **7th row:** Decreasing one st at both ends and slipping the center st, p across—5 sts. **8th row:** K 2 tog, k 1, k 2 tog—3 sts. **9th row:** Sl 1, p 2 tog, p.s.s.o. Break off, leaving a 9-inch length. Draw through remaining st and weave on wrong side down center sts to first row. Cut a 10-inch piece of wire. Draw through center st on first row of leaf and double the wire. Twist the loose strands tightly around the doubled wire. Do not cut strands.

FLOWER (make 9) . . . Red Petals: Cut a strand of Green 16 inches long and double it. Place the doubled strand along a pencil. Cut a 24-inch length of Red. Leaving 3 inches free, wind Red over the doubled strand around the pencil 16 times. Tie the free ends of Red tightly together. Draw the Green ends through the looped end, then pull the loops off pencil and pull up tightly. Tie one strand of each color together. Tie remaining 2 strands, trim off ends of Red. **White Petals:** Cut Green as for Red Petals. Cut 1 1/4-yard length of White. Leaving 3 inches free, wind White over the doubled strand around 2 pencils 24 times and complete as for Red Petals. Draw the 2 Green strands of Red Petals through center of White Petals to complete flower. Cut a 10-inch piece of wire. Draw through center bottom of flower and double the wire. Twist the 4 Green strands tightly around the doubled wire.

Cuff: With Green, cast on 4 sts. **1st row:** P 1, k 2, p 1. **2nd row:** P across. Repeat these 2 rows alternately until piece measures 2 inches. Bind off, leaving a 10-inch end. Arrange flowers and leaves as shown, place cuff around stems and sew to top of topper. Trim stems.



B-367

2-Needle

Split

Cable

Mittens

Illustrated in color
on back cover

COATS & CLARK'S "RED HEART" KNITTING WORSTED, 4 Ply ("Tangle-Proof" Pull-Out Skeins): 2 ounces for Sizes 5 and 5½; 3 ounces for Sizes 6 to 8; 4 ounces for Sizes 8½ and 9.

Knitting needles, 1 pair No. 3 and No. 5.

GAUGE: 11 sts = 2 inches; 7 rows = 1 inch.

Measurement around Palm.....Inches	5	5½	6	6½	7	7½	8	8½	9
LEFT MITTEN . . . Starting at cuff with No. 5 needles, cast on.....Stitches	28	32	36	36	40	44	44	48	52
Change to No. 3 needles and work in k 2, p 2 ribbing for.....Inches	2	2	2	2½	2½	2½	3	3	3
Change to No. 5 needles. Next row —right side: Inc in first st, p across									
Stitches	16	19	22	22	25	28	28	31	34
place a marker on needle, k 8, place another marker on needle (these are cable panel markers); p.....Stitches	2	3	4	4	5	6	6	7	8

Continued on page 29

B-367 Continued

Inches	5	5½	6	6½	7	7½	8	8½	9
--------	---	----	---	----	---	----	---	----	---

inc in last st. Following row: K across to marker, slip marker, p 8, slip marker, k remaining sts. Omitting increases and slipping markers, repeat last 2 rows.....**Times**

—	—	—	1	1	1	2	2	2
---	---	---	---	---	---	---	---	---

THUMB GORE . . . Work in pattern and shape Thumb Gore as follows: **1st row:** P across.....**Stitches**

13	15	17	17	19	21	21	23	25
----	----	----	----	----	----	----	----	----

place a marker on needle, p and k in next st, k and p in next st—2 sts increased, place a marker on needle (these are thumb gore markers); p

Stitches	3	4	5	5	6	7	7	8	9
-----------------	---	---	---	---	---	---	---	---	---

slip marker, k 1, slip next st on a cable holder and hold in front of work, k next 2 sts, k the st from cable holder—a front cable made; slip next 2 sts on a cable holder and hold in back of work, k next st, k the 2 sts from cable holder—a back cable made; k 1, slip marker, p**Stitches**

4	5	6	6	7	8	8	9	10
---	---	---	---	---	---	---	---	----

NOTE: Always slip markers. **2nd row:** (K to next marker, p to next marker) twice; k remaining sts. **3rd row:** P to next marker, inc as before in next st, k to within one st of next marker, inc in next st, p to next marker, k 1, make a back cable over next 3 sts, then a front cable over following 3 sts, k 1, p remaining sts. **4th row:** Repeat 2nd row. **5th row:** P to marker, inc in next st, k to within one st of next marker, inc in next st, p to next marker, k 8, p remaining sts. **6th row:** Repeat 2nd row. **7th row:** P to marker, inc in next st, k to within one st of next marker, inc in next st, p to next marker, k 1, front cable over next 3 sts, back cable over next 3 sts, k 1, p remaining sts. Repeat last 6 rows for cable pattern. Work in pattern until there are between Thumb Gore markers, ending with a wrong side row.....**Stitches**

10	10	10	12	12	14	14	16	16
----	----	----	----	----	----	----	----	----

Work 2 more rows in pattern without increasing.

Continued on page 30

B-367 Continued

Inches	5	5½	6	6½	7	7½	8	8½	9
THUMB . . . 1st row: Removing thumb markers, work across..... Stitches	22	24	26	28	30	34	34	38	40
inc one st in next st, turn. 2nd row: P across Stitches	10	10	10	12	12	14	14	16	16
inc one st in next st, turn. Work in stockinette st (k 1 row, p 1 row) until thumb isInches	1¼	1½	1¾	2	2¼	2½	2½	2½	2½
or reaches ¼ inch from tip, ending with a p row.									

Shape Tip—1st row: * K 2 tog, k 1. Repeat from * across. Break off, leaving an 8-inch length of yarn. Thread a needle with this length and draw through remaining sts. Pull up tightly and fasten. Sew thumb seam.

HAND . . . With right side facing, attach yarn to sts on right hand needle, pick up 2 sts across base of thumb, then work in pattern across sts on left hand needle. There are on needle	Stitches	30	34	38	38	42	46	46	50	54
Next row: Work in pattern, knitting the 2 picked-up sts. Continue in pattern until length from last row of ribbing is Inches		4	4½	5	5½	5¾	6	6¼	6½	7
or until Mitten, when tried on, reaches tip of little finger ending with a wrong side row.										

To Shape Tip—1st row: Work across	Stitches	14	16	18	18	20	22	22	24	26
place a marker on needle, complete row. 2nd row: * K 2 tog, work to within 2 sts of last marker, k 2 tog, slip marker, k 2 tog, work to within last 2 sts, k 2 tog—4 sts decreased. 3rd row: Work in pattern slipping markers. Repeat last 2 rows until there remain, ending with a wrong side row	Stitches	14	14	14	14	18	18	18	22	22
Break off, leaving an 8-inch length of yarn and finish same as tip of thumb. Sew side seam. Press through damp cloth.										

Continued on page 31

B-367 Continued

Inches	5	5½	6	6½	7	7½	8	8½	9
--------	---	----	---	----	---	----	---	----	---

RIGHT MITTEN . . . Work same as Left Mitten until ribbing has been completed. Change to No. 5 needles. Next row—right side: Inc in first st, p across

Stitches	2	3	4	4	5	6	6	7	8
----------	---	---	---	---	---	---	---	---	---

place a marker on needle, k 8, place another marker on needle — cable panel; p

Stitches	16	19	22	22	25	28	28	31	34
----------	----	----	----	----	----	----	----	----	----

inc in last st. Following row: K across to marker, slip marker, p 8, slip marker, k remaining sts. Omitting increases and slipping markers, repeat last 2 rows

Times	—	—	—	1	1	1	2	2	2
-------	---	---	---	---	---	---	---	---	---

Work in pattern and shape Thumb Gore as follows: 1st row: P across

Stitches	4	5	6	6	7	8	8	9	10
----------	---	---	---	---	---	---	---	---	----

slip marker, k 1, make a front cable, then a back cable, k 1, slip marker, p

Stitches	2	4	5	5	6	7	7	8	9
----------	---	---	---	---	---	---	---	---	---

place a marker on needle, inc as before in next 2 sts, place a marker on needle — Thumb Gore; p remaining

Stitches	13	15	17	17	19	21	21	23	25
----------	----	----	----	----	----	----	----	----	----

Positions of Cable Panel and Thumb Gore are now established. Complete mitten to correspond with Left Mitten.

POMPON TOPPER . . . B-365 Continued from page 26

POMPON (make 4 of variegated colors and 3 of plain colors) . . . Cut 2 cardboard circles, each 2 inches in diameter. Cut a hole ¾ inch in diameter in center of each circle. Cut two 3¼-yard lengths of one color. Place cardboard circles together and wind double strands of yarn around the double circles, drawing yarn through center opening and over edge until center hole is filled. Cut yarn around outer edge between the 2 circles. Cut a 10-inch length of Emerald Green. Double this strand and slip between 2 cardboard circles and tie securely around strands of pompon. Using the Emerald Green strands for stems, trim the ends of the pompon evenly.

Contrasting Color Pompon (make 8) . . .

Working same as for previous Pompons, cut two 5-inch lengths of a color. Wind these strands around the cardboard circles as before, pushing strands closely together. Cut two 3¼-yard lengths of a contrasting color and continue to wind them over the circles until the center hole is filled. Complete as for previous Pompons.

Form a rosette of the ribbon by making twelve 2½-inch loops with 2 free ends. Sew base of loops together. Arrange the pompons to form a corsage. With stems hanging free, sew corsage and rosette to top of cover as shown. If desired trim with a little bee or butterfly.

B-368

Smocked Border Hood and Mittens

Knit-to-fit child's size (ages approximately 8-12) and woman's size
Mittens Illustrated in color on back cover

Directions are given for Child's Size. Changes for Woman's Size are in parentheses.

**COATS & CLARK'S "RED HEART" KNITTING
WORSTED, 4 Ply ("Tangle-Proof") Pull-
Out Skeins:** 6 (8) ounces of No. 835
Periwinkle; 1 (2) ounces of No. 1
White and $\frac{1}{2}$ ounce of No. 909 Scarlet
for both sizes.

Knitting needles, 1 pair No. 3 and No. 5.

Milwards Tapestry Needle No. 18.

GAUGE: Stockinette st:
11 sts = 2 inches;
7 rows = 1 inch.

HOOD

COLLAR . . . Starting at lower edge with Periwinkle and No. 5 needles cast on 144 (160) sts. Drop Periwinkle, attach White. 1st row: With White k across. 2nd row (right side): With White p across. Break off White and fasten. Pick up Periwinkle. 3rd and 4th rows: With Periwinkle k across. 5th row: P across. 6th through 8th row: Repeat 4th, 5th and 4th rows. 9th through 11th row: Repeat first through 3rd row. 12th row: With Periwinkle * k 7 (8), k 2 tog. Repeat from * across—128 (144) sts. 13th through 19th row: Repeat 5th through 8th row; then repeat first through 3rd row. 20th row: With Periwinkle * k 2 tog, k 6 (7). Repeat from * across—112 (128) sts. 21st through 27th row: Repeat 13th through 19th row. **NOTE:** Continue with Periwinkle only. 28th row: * K 5 (6), k 2 tog. Repeat from * across—96 (112) sts. Change to stockinette st (p 1 row, k 1 row) and work 3 rows even. Next row: K across, decreas-

ing 16 sts evenly across—80 (96) sts. Work 3 rows even. Next row: K across decreasing 2 (10) sts evenly—78 (86) sts. Purl 1 row.

NECKBAND . . . Change to No. 3 needles. 1st row: K 2, * p 2, k 2. Repeat from * across. 2nd row: P 2, * k 2, p 2. Repeat from * across. Repeat last 2 rows until length of Neckband is 2 (2½) inches ending with 2nd row.

Back of Hood: Change to No. 5 needles. 1st row: Bind off 10 sts loosely in ribbing, k to within last 10 sts, work last 10 sts in ribbing. 2nd row: Bind off 10 sts loosely in ribbing, p remaining sts. Starting with a k row, work even in stockinette st over remaining 58 (66) sts for 6 (6½) inches ending with a p row.

Top of Hood: 1st row: K across 40 (44) sts, sl 1, k 1, p.s.s.o., turn. 2nd row: Sl 1, p across 22 sts, p 2 tog, turn. 3rd row: Sl 1, k 22, sl 1, k 1, p.s.s.o., turn. Repeat last 2 rows until all sts are worked off—24 sts remain for forehead. Break off.

Face Band: With right side facing, Periwinkle, and No. 5 needles, pick up and k 30 (34) sts along right face edge (omit bound-off sts); k across forehead sts; pick up and k 30 (34) sts along left face edge. Work first through 8th row of Collar 3 times; then repeat first through 3rd row once more. Bind off loosely purling the sts.

Ease in the end of face band and sew to bound-off sts of neckband. Sew front

Continued on page 33

B-368 *Continued from page 32*

seam from lower edge of collar to face band.

Smocking: Starting at front seam place pins evenly spaced (about $2\frac{1}{4}$ inches apart) in first ridge on lower edge of collar. Thread tapestry needle with Scarlet. Draw first and 2nd ridges together with 2 overcast sts at each pin and fasten on wrong side. Draw 3rd and 4th ridges together in same way, having overcast sts directly above previous Scarlet sts. Draw 2nd and 3rd ridges together having each overcast st centered between sets of previous Scarlet sts. Smock face band in same way. Press hood through damp cloth.

MITTENS

Width around palm 6 (7) inches.

Cuff: Starting at edge with No. 5 needles and Periwinkle, cast on 44 (55) sts. Work first through 11th row same as Collar of Hood. **12th row:** K across, decreasing 4 (5) sts evenly. **13th through 19th row:** Repeat 13th through 19th row of Collar. Repeat 12th through 19th row twice—32 (40) sts remain. Change to No. 3 needles and work in k 2, p 2 ribbing for $\frac{1}{2}$ inch ending with a right side row. **Next row (wrong side):** For Small Size p across increasing one st. For Large Size p across, decreasing one st. Change to No. 5 needles

Continued on page 35



B-369 Crazy Stole

Illustrated in color on back cover

22 x 66 inches (excluding fringe)

COATS & CLARK'S "RED HEART" KNITTING
WORSTED, 4 Ply ("Tangle-Proof" Pull-
Out Skeins): 12 ounces of No. 971
Palette and 4 ounces of No. 12 Black.

Knitting needles, 1 pair No. 10½.

GAUGE: (before drapping st) — 5 sts = 1
inch; 17 rows = 4 inches;
(after drapping st) — 6 patterns =
9 inches; 7 rows = 2 inches.

NOTE: The actual knitting measurements are
13 x 58½ inches. After the sts from last row
are dropped, the blocked stole will measure
22 x 66 inches.

Starting at narrow edge, cast on 65 sts
loosely. 1st row (wrong side): K 1, O, k 2,
* p next 3 sts tog, but before taking them
off needle k these 3 sts tog, then p them
tog, slip off needle—triple st mode, k 1.
Repeat from * across to within last 2 sts,
k 1, O, k 1. NOTE: Do Not Count The O As
a Stitch. 2nd row: K 1, drop the O, k 1,
* p 1, k 3. Repeat from * across to
within last 3 sts, p 1, k 1, drop O, k 1.
Repeat these 2 rows for pattern. Work
even in pattern until total length is about
58½ inches, ending with first row. Last
row: K 1, drop the O, k 1, * drop the
purl st from left hand needle, k 3. Repeat
from * across to last 3 sts, drop the p st,
k 1, drop the O, k 1. NOTE: In binding off,
sts must be worked loosely. Bind off as
follows: Bind off the first 2 sts in knit-
ting, * (slip the st from right hand needle
to left hand needle and knit this st) 3
times; bind off next 3 sts in purling. Re-
peat from * across, binding off last 2 sts
in knitting. Run the dropped sts from last
row down to opposite edge. Block to 22 x
66 inches.



FRINGE . . . Cut 4 strands of yarn each
22 inches long. Work as for Knotted
Fringe of Knitted Stole No. B-352 on
pages 4 & 6. Make a fringe in every
triple st and every space between, across
each narrow edge. Make 2nd row of
knots 1½ inches down and in the center
between previous knots.

SMOCKED HOOD and MITTENS

B-368 Continued from page 33

and work remainder of Mitten in stockinette st (k 1 row, p 1 row) over these 33 (39) sts as follows: Work 2 rows even.

Thumb Gore—1st row: K 16 (19), p 1, k 16 (19). 2nd row: P 15 (18), k 1, p 1, k 1, p to end of row. 3rd row: K 15 (18), place a marker on needle, p and k in next st—one st increased; k in front and back of next st—another st increased; slip another marker on needle, p 1, k to end of row. 4th row: P 15 (18), k 1, slip marker, p to one st before next marker, k 1, slip marker, p to end of row. 5th row: K 15 (18), slip marker, p and k in next st, k to one st before next marker, k in front and back of next st, slip marker, p 1, k to end of row. Repeat 4th and 5th rows alternately until there are 11 (13) sts between the 2 purled sts ending with 4th row. Work 2 rows even.

THUMB . . . 1st row: Removing markers, k 26 (31), inc one st in next st, turn. 2nd row: P 11 (13), inc one st in next st, turn. Work in stockinette st over these 13 (15) sts only until thumb measures 2 (2½) inches or reaches ¼ inch from tip ending with a p row.

To Shape Tip—Next row: * K 2 tog, k 1. Repeat from * across. Break off leaving an 8-inch length of yarn. Thread this length into tapestry needle and draw through remaining sts. Pull up tightly and fasten.

HAND . . . Attach yarn to sts on right hand needle, cast on 2 sts and work across sts on left hand needle. There are 34 (40) sts on needle. Work in stockinette st until piece measures, ending with a p row, 5 (5¾) inches from last row of ribbing or until mitten reaches tip of little finger.

To Shape Tip—1st row: * K 1, k 2 tog, k 11 (14), sl 1, k 1, p.s.s.o., k 1, place a marker on needle. Repeat from * once more. 2nd row: Slipping markers, p across. 3rd row: * K 1, k 2 tog, k to within 3 sts of next marker, sl 1, k 1, p.s.s.o., k 1. Repeat from * once more. Repeat last 2 rows until 14 (16) sts remain ending with a p row. Next row: * K 2 tog, k 1. Repeat from * across. Break off leaving a 12-inch length of yarn. Finish tip same as thumb tip.

Sew thumb, hand and cuff seam. Press through a damp cloth. Smock cuff same as Smocking on Hood. Make other mitten same as this.

ABBREVIATIONS

k knit
p purl
inc increase
beg beginning
dec decrease
tog together
ch chain

sc single crochet
st(s) stitch(es)
rnd round
p.s.s.o. pass slipped stitch
 over knit stitch
sl slip
incl inclusive
O yarn over

* (asterisk) . . . Repeat the instructions following the asterisk as many times as specified.

Repeat instructions in parentheses as many times as indicated. For example: "(K 1, O, p 3) 4 times" means to make whatever is in parentheses 4 times in all.

COATS & CLARK'S

BOOK No. 140

29¢

SWEATERS and ACCESSORIES

Featuring
RED  HEART
Yarns

